

- comprehensive cognitive screening battery, both digital and self-administrated. *J Intern Neuropsych Soci* **28**, 188-202.
- [81] Björngrim S, van den Hurk W, Betancort M, Machado A, Lindau M (2019) Comparing traditional and digitized cognitive tests used in standard clinical evaluation – A study of the digital application Minnemera. *Front Psychol* **10**, 2327.
- [82] Makizako H, Shimada H, Park H, Doi T, Yoshida D, Uemura K, Tsutsumimoto K, Suzuki T (2012) Evaluation of multi-dimensional neurocognitive function using a tablet personal computer: Test-retest reliability and validity in community-dwelling older adults. *Geriatr Gerontol Int* **13**, 860-866.
- [83] Shimada H, Doi T, Lee S, Makizako H, Chen LK, Arai H (2018) Cognitive frailty predicts incident dementia among community-dwelling older people. *J Clin Med* **7**, 250-261.
- [84] Shimada H, Makizako H, Park H, Doi T, Lee S (2017) Validity of the national center for geriatrics and gerontology-functional assessment tool and Mini-Mental State Examination for detecting the incidence of dementia in older Japanese adults. *Geriatr Gerontol Int* **17**, 2383-2388.
- [85] Possin KL, Moskowitz T, Erhoff SJ, Rogers KM, Johnson ET, Steele NZR, Higgins JJ, Stiver J, Alioto AG, Farias ST, Miller BL, Rankin KP (2018) The brain health assessment for detecting and diagnosing neurocognitive disorders. *J Am Geriatr Soc* **66**, 150-156.
- [86] Rodríguez-Salgado AM, Llibre-Guerra JJ, Tsoy E, Peñalver-Guía AI, Bringas G, Erhoff SJ, Kramer JH, Allen IE, Valcour V, Miller BL, Llibre-Rodríguez JJ, Possin KL (2021) A brief digital cognitive assessment for detection of cognitive impairment in Cuban older adults. *J Alzheimers Dis* **79**, 85-94.
- [87] Tsoy E, Erhoff SJ, Goode CA, Dorsman KA, Kanjanapong S, Lindbergh CA, Possin KL (2020) BHA-CS: A novel cognitive composite for Alzheimer's disease and related disorders. *Alzheimers Dement (Amst)* **12**, e12042.
- [88] Tsoy E, Strom A, Iaccarino L, Erhoff SJ, Goode CA, Rodriguez AM, Rabinovici GD, Miller BL, Kramer JH, Rankin KP, La Joie R, Possin KL (2021) Detecting Alzheimer's disease biomarkers with a brief tablet-based cognitive battery: Sensitivity to A β and tau PET. *Alzheimers Res Ther* **13**, 36.
- [89] Müller S, Preische O, Heymann P, Elbing U, Laske C (2017) Diagnostic value of a tablet-based drawing task for discrimination of patients in the early course of Alzheimer's disease from healthy individuals. *J Alzheimers Dis* **55**, 1463-1469.
- [90] Freedman M, Leach L, Carmela Tartaglia, Stokes KA, Goldberg Y, Spring R, Nourhashighi N, Lee T, Strother SC, Alhaj MO, Borrie M, Darvesh, Fernandez A, Fischer CE, Fogarty J, Greenberg SD, Gynges M, Herrmann N, Keren R, Kirstein J, Kumar S, Lam B, Lena S, McAndrews MP, Naglie G, Partridge R, Rajji T, Reichmann W, Uri Wolf M, Verhoeff M, PLC, Wasserman JL, Black SE, Tang-Wai DF (2018) The Toronto Cognitive Assessment (TorCA): Normative data and validation to detect amnesic mild cognitive impairment. *Alzheimers Res Ther* **10**, 65.
- [91] Inoue M, Imbo D, Nakamura Y, Taniguchi M, Urakami K (2009) Development and evaluation of a computerized test battery for Alzheimer's disease screening in community-based settings. *Am J Alzheimers Dis Other Dement* **24**, 129-135.

CORRECTED PROOF